

LIFT [^] GUARD™ | **CONTACT
ALARM**

SECONDARY PROTECTION FOR OPERATORS



Genie®

A TEREX BRAND

LIFT [^] GUARD™ | **CONTACT
ALARM**

**SECONDARY
PROTECTION
FOR OPERATORS
NOW STANDARD**

Genie®
A TEREX BRAND



LIFT GUARD™ | CONTACT ALARM

THE NEW GENERATION OF SECONDARY OPERATOR PROTECTION

This system is now designed as standard on most* Genie Z® and S® boom lifts and in some circumstances is an additional operator protection towards obstructions. Featuring an activation cable fitted above the boom lift's control panel, this new electronic accessory is a complete new approach to alarm sensor bars.

This system is available installed standard from the factory or as an aftermarket kit. Easily installed or removed in less than 30 minutes with only a few fasteners and electrical harness connectors, it fits on units* back to 2003.

* Not available on Genie GR™-20J, GR-26J and TZ™ models.

Genie | GENUINE PARTS
A TEREX BRAND

HOW DOES IT WORK?

- Active whenever the footswitch on the boom is enabled.
- A free-movement zone exists between the activation cable and control box which allows operator mobility after system activation.
- When pressure is applied to the cable, it disconnects, stops any active lift and drive functions and alerts others that the operator may need help.
- Audio and visual warnings on platform.
- Continuous notifications until cable is reset.
- To reset simply click the activation cable back into place.
- Compatible with other Genie® attachments such as the Operator Protective Structure and the platform control box cover.



TAKING YOU **HIGHER**™

