

Two Speed machines upgraded to Rev T prop lift can use the buttons covered by the overlay to restrict function by triggering unadvertised Dual Zone functionality.

Tools Needed:

CAT5 Cable
PC or Laptop Computer

Model:

**All Models with Smart Link Control System Rev T software-
Slab Scissors, GR/GRC/QS,
69BE/DC, GS1330M updated in
the field**

Genie
A TEREX BRAND

TECH▲PRO™

SERVICE AND TECHNICAL TRAINING

TECH-TIP

Tech Tips Safety Rules



Danger

Failure to obey the instructions and safety rules in the appropriate Operator's Manual and Service Manual for your machine will result in death or serious injury. Many of the hazards identified in the operator's manual are also safety hazards when maintenance and repair procedures are performed.

Do Not Perform Maintenance Unless:


- You are trained and qualified to perform maintenance on this machine.
- You read, understand and obey:
 - manufacturer's instructions and safety rules
 - employer's safety rules and worksite regulations
 - applicable governmental regulations
- You have the appropriate tools, lifting equipment and a suitable workshop.

The information contained in this tech tip is a supplement to the service manual. Consult the appropriate service manual of your machine for safety rules and hazards.

TECH-TIP

Step 1

Two Speed machines upgraded to Rev T prop lift can use the buttons covered by the overlay to restrict function by triggering unadvertised Dual Zone functionality. The machine displays -OH-, alarms, and prevents the user from lifting.



Step 2

Update software to Rev "W" or higher using the process the the applicable Service Manual "Loading or Updating Machine Software".